

THE ANDERSONS SAFETY DATA SHEET

DATE PREPARED:

03/04/09

CURRENT AS OF: 1/9/18

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE:

ASP132UDM50, ASP132UDM50.40

PRODUCT NAME:

13-0-5 Fertilizer with 0.125% Dimension Turf Herbicide

PRODUCT USE:

Fertilizer / Pesticide

MFR INFO:

The Andersons Lawn Products

PO Box 119

Maumee, Ohio, USA 43537

FOR EMERGENCY: (800) 757-8951 FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING

CAUSES SKIN AND EYE IRRITATION CAUSES RESPIRATORY IRRITATION

HAZARD CLASSIFICATIONS: EYE IRRITATION SKIN IRRITATION SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	CATEGORY 2B 2	INTERPRETATION Causes eye irritation Causes skin irritation
	3	Causes irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- KEEP OUT OF REACH OF CHILDREN
- READ LABEL BEFORE USE
- IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND
- CALL A POISON CENTER / PHYSICIAN IF UNWELL
- IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER
- IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE
- IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES REMOVE CONTACT LENSES IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE
- WASH HANDS AFTER HANDLING
- USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS
- AVOID BREATHING DUST
- IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING
- STORE CONTAINER TIGHTLY CLOSED
- DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS

ASP132UDM50, ASP132UDM50.40 13-0-5 FERTILIZER W/ 0.125% DIMENSION TURF HERBICIDE

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL IDENTITY	SYNONYM	CAS NUMBER	CONCENTRATION (%)
Limestone	Dolomite	16389-88-1	60-70
Urea		57-13-6	25-35
Potassium chloride	Potash	7447-40-7	5-15
Clay	Bentonite	1302-78-9	1-10

SECTION 4: FIRST AID MEASURES

IF INHALED:

Move victim to fresh air. Seek medical attention if irritation persists.

IF ON SKIN:

Wash affected areas with soap and water. Seek medical attention if irritation

persists. Wash contaminated clothing before re-use.

IF IN THE EYES:

Immediately flush with water for at least 20 minutes. Seek medical attention if

irritation persists.

IF SWALLOWED:

If victim is alert and not convulsing, give one glass of water to dilute material,

but DO NOT induce vomiting. Seek immediate medical attention.

SPECIAL TREATMENT:

None known

HEALTH HAZARDS:

See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:

Use media suitable for surrounding fire. No special media

required.

SPECIFIC FIRE HAZARDS:

Decomposition products may be toxic.

SPECIAL FIREFIGHTING PROCEDURES:

Wear full protective clothing and positive-pressure self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:

Collect spilled product and store to re-use. Contaminated product

and/or environmental media should be recovered and disposed of

properly.

ENVIRONMENTAL PRECAUTIONS:

Prevent spilled material from entering storm drains or water bodies.

PROTECTIVE EQUIPMENT:

See Section 8

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

ASP132UDM50, ASP132UDM50.40 13-0-5 FERTILIZER W/ 0.125% DIMENSION TURF HERBICIDE

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

VENTILATION:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

		poods mind.	
HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV	
Limestone	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)	
Urea	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)	
Potassium chloride	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)	
Clay	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)	
PERSONAL PROTECTIVE EQUIP	MENT / PROTECTION MEASUR	RES / CONTROLS:	
RESPIRATORY PROTECTION:	NIOSH approved particulate respirator, if required		
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield recommended		
SKIN PROTECTION:	Long sleeves, chemical-resistant (rubber) gloves recommended		
VENTUATION.		, , , , , , , , , , , , , , , , , , ,	

Local exhaust ventilation recommended

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:
pH:
Not available
Not available

BOILING POINT: Not applicable FLASH POINT: Not flammable EVAPORATION RATE: Not applicable FLAMMABLE LIMITS: Not applicable VAPOR PRESSURE: Not applicable VAPOR DENSITY: Not applicable SPECIFIC GRAVITY: Not available SOLUBILITY (IN WATER): Partially soluble

SOLUBILITY (IN WATER):
PARTITION GOEFFICIENT:
AUTOIGNITION TEMP:
DECOMPOSITION TEMP:
ODOR THRESHOLD:
VISCOSITY:
Partially soluble
Not applicable
Not available
Not available
Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable.

CONDITIONS TO AVOID: Excessive heat (greater than 200°F)

INCOMPATIBILITY: Strong oxidizers, acids, hypochlorites, caustics

HAZARDOUS DECOMPOSITION PRODUCTS: HCN, NOx, COx, NH3, cyanuric acid

ASP132UDM50, ASP132UDM50.40 13-0-5 FERTILIZER W/ 0.125% DIMENSION TURF HERBICIDE

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS:

May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and comeal damage. Ingestion may result in abdominal pain, nausea, and diarrhea. Prolonged or repeated overexposure to the active ingredient could cause kidney, liver, blood, thyroid, and adrenal effects.

CARCINOGENICITY:

None of the ingredients are known / listed carcinogens. However, product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human

carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL:

2,600 mg/kg (potassium chloride) - 14,300 mg/kg (urea)

DERMAL:

> 5,000 mg/kg (dithiopyr)

INHALATION: > 5.8 mg/L (4 hr) (dithiopyr)

SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA 311 / 312:

ACUTE HAZARD

SECTION 16: OTHER INFORMATION

NFPA RATINGS:

HEALTH

FLAMMABILITY INSTABILITY

0 0

HMIS RATINGS:

HEALTH

FLAMMABILITY

0 PHYSICAL HAZARD

ACTIVE INGREDIENT LEVEL (%):

0.125 as dithiopyr

SDS ID NO:

5192

PREPARED BY:

TS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.